




FLOORS

GRANORTE

 DELIVERING NATURE

CORK FLOOR COVERINGS 2026

CORK WITH A PAST AND A FUTURE

THE ALLURE OF QUALITY

Cork oak forests are a living legacy. They tell a story of care passed down through generations. Each harvest respects the tree's rhythm, with the bark being gently removed by hand, leaving the tree intact to regenerate naturally. This quiet cycle, repeated over centuries, shapes resilient landscapes that shelter life, enrich the soil and protect against erosion. Preserving these forests is an act of balance, where nature thrives while communities draw lasting value from a natural material shaped by time, patience and tradition.

MASTERING CORK SINCE 1972

For over five decades, we have worked with cork with the same respect and dedication held by the generations before us. Each product reflects the knowledge gained through experience, guided by exceptional craftsmanship and a deep care for cork. Our commitment to excellence is evident in every detail, where quality is never compromised and materials are treated with care and purpose. Every cork solution we create is backed by decades of skill, innovation and trust. Time gave us the tools. Experience gave us the confidence to shape cork with a vision.





GENTLE EMBRACE

Step upon cork, and feel the subtle cushion of nature itself. Each footfall is cradled by a soft, springy layer, warm to the touch and kind to weary legs. It invites barefoot wanderings, long conversations by the hearth, and the quiet comfort of a home that hugs you from the ground up.



NATURE'S WHISPER

Cork holds the silence like a secret. It captures sound, letting rooms breathe in peaceful calm, while also keeping warmth close, like sunlight trapped in a gentle embrace. In this quiet sanctuary, footsteps soften, voices linger without echo, and every corner feels a little more serene.



RESILIENT SPIRIT

Soft yet strong, cork yields to pressure and returns to form, forgiving the small accidents of life. Dropped objects, hurried footsteps, the dance of children, all leave only a whisper, never a mark. Durability flows from its very nature, offering a floor that lives and breathes alongside you, through years of stories.



EARTH'S PALETTE

Cork's warm, earthy tones and pure patterns bring Nature in, turning rooms into canvases of quiet beauty. Each tile or plank tells its own story, a subtle rhythm of light and shadow, grain and hue. It is both humble and enchanting, blending seamlessly with any design while remaining undeniably alive.



BREATH OF PURITY

A natural shield against dust, allergens, mold, and mildew, cork is a silent guardian of the home. Its natural finishes keep spaces fresh, clean, and alive with a healthy energy. In every room, it creates a healthy sanctuary where the air feels lighter, purer, and tender on the lungs.



BORN OF THE EARTH

Harvested with care, without felling a single tree, cork grows back, layer by layer, year by year. Each plank carries the story of centuries-old oaks, a testament to life's gentle rhythm. Choosing cork is choosing a floor that honors the earth, a soft footprint that treads lightly yet meaningfully.

A FLOOR LIKE NO OTHER

THE ADVANTAGES OF CORK



NATURALS

A quiet elegance lives within NATURALS. A collection of cork floors shaped by the earth itself, created for spaces where refinement feels at home, be it a dwelling of intimate luxury or a commercial world seeking calm.

At its core, NATURALS carries the serenity of nature's own design. Organic patterns, soft and varied, unfold like whispers of the forest, each texture a distinct signature of the living material. NATURALS lends interiors a gentle, grounding beauty; a natural allure that makes every project breathe.





Standard
002 248 000 - 003 248 000
729 248 000 - 728 248 000



Standard Cream
002 210 011 - 003 210 011
729 210 011 - 728 210 011



Standard White
002 210 012 - 003 210 012
729 210 012 - 728 210 012



Standard Slate Grey
002 210 052 - 003 210 052
729 210 052 - 728 210 052




Twist
002 901 000 - 003 901 000
729 901 000 - 728 901 000



Twist Cream
002 901 011 - 003 901 011
729 901 011 - 728 901 011



Twist White
002 901 012 - 003 901 012
729 901 012 - 728 901 012



Twist Rocky
002 901 043 - 003 901 043
729 901 043 - 728 901 043



Champagner
002 040 000 - 003 040 000
729 040 000 - 728 040 000



Champagner Sand
002 039 014 - 003 039 014
729 039 014 - 728 039 014



Champagner White
002 039 012 - 003 039 012
729 039 012 - 728 039 012



Champagner Ash
002 039 048 - 003 039 048
729 039 048 - 728 039 048



Element Rustic
002 111 000 - 003 111 000
729 110 000 - 728 110 000



Element Rustic Cream
002 111 011 - 003 111 011
729 110 011 - 728 110 011



Element Rustic Stone
002 111 045 - 003 111 045
729 110 045 - 728 110 045



Country
002 241 000 - 003 241 000
729 241 000 - 728 241 000



Country Slate Grey
002 241 052 - 003 241 052
729 241 052 - 728 241 052



Country Earth
002 241 026 - 003 241 026
729 241 026 - 728 241 026



Primus
002 179 000 - 003 179 000
729 178 000 - 728 178 000



Primus Sand
002 179 014 - 003 179 014
729 178 014 - 728 178 014



Primus Greige
002 179 055 - 003 179 055
729 178 055 - 728 178 055



Linea
002 121 000 - 030 121 000
729 120 000 - 728 120 000



Linea Cream
002 121 011 - 003 121 011
729 120 011 - 728 120 011




Linea Whisper
002 121 045 - 003 121 045
729 120 045 - 729 120 045



NATURALS | Element Rustic Cream


002 SELECT
003 SELECT PLUS



FLOATING

WEARTOP® high performance matt finish
WEARPLUS® high performance PUR HotCoating® finish (PLUS)
High-density veneered cork surface
Bevelled edges (PLUS)
Moisture resistant HDF fibreboard
All around JOINTSHIELD® edge sealing
Acoustical CLEANCORK® underlay, with Microban® antimicrobial protection
Made with more than 80% of renewable materials - Cork and wood.

729 FIX
728 FIX PLUS



GLUE DOWN

WEARTOP® high performance matt finish
WEARPLUS® high performance PUR HotCoating® finish (PLUS)
High-density veneered cork composite
Bevelled edges (PLUS)
Made with more than 85% of renewable materials - cork.

[FSC® certified products are available upon request]





RECOLOUR

RECOLOUR is cork flooring reimagined. A modern canvas where hues breathe, brighten, and transform. Its palette stretches from bold, vivid statements to soft, balanced neutrals, infusing any interior with a dynamic visual pulse. Long, elegant planks are framed by subtle micro-bevels, their refined lines adding rhythm and sophistication to the space.

Born from renewable cork, RECOLOUR is durable, expressive, and wonderfully full of character. It invites you to design boldly and freely, while surrounding you with the quiet warmth that only cork can give.





Pearl
216 111 018 - 633 111 018



Cream
216 111 011 - 633 111 011



Sand
216 111 014 - 633 111 014



Canvas
216 111 033 - 633 111 033



Greige
216 111 055 - 633 111 055



Ash
216 111 048 - 633 111 048



Slate Grey
216 111 052 - 633 111 052



Smoke
216 111 042 - 633 111 042



Desert
216 111 044 - 633 111 044



Havana
216 111 201 - 633 111 201



Earth
216 111 026 - 633 111 026



Mocha
216 111 027 - 633 111 027



Saffron
216 111 604 - 633 111 604



Sunset
216 111 626 - 633 111 626



Terracotta
216 111 616 - 633 111 616



Old Rose
216 111 627 - 633 111 627



Blush
216 111 618 - 633 111 618



Lilac
216 111 617 - 633 111 617



Aqua
216 111 623 - 633 111 623



Spring
216 111 625 - 633 111 625



Forest
216 111 612 - 633 111 612



Sky
216 111 614 - 633 111 614



Dove Blue
216 111 620 - 633 111 620




Bluemoon
216 111 621 - 633 111 621



RECOLOUR | Spring

216 ELITE



FLOATING

WEARPLUS® high performance PUR HotCoating® finish
High-density veneered cork surface
Bevelled edges
Moisture resistant HDF fibreboard
Acoustical CLEANCORK® underlay, with Microban® antimicrobial protection
Made with more than 80% of renewable materials - Cork and wood.

633 FIX



GLUE DOWN

WEARPLUS® high performance PUR HotCoating® finish
High-density veneered cork composite
Bevelled edges
Made with more than 85% of renewable materials - cork.

[FSC® certified products are available upon request]







CORK ARTISANS

TECHNICAL DATA

			CORK FLOATING FLOORS					GLUE DOWN CORK FLOOR TILES				
			Naturals Select Select Plus	Recolour Elite	Vintage Elite	Vita Classic Master Elite Wood Elite Stone	Vita Decor Select	Naturals Fix Fix Plus	Recolour Fix	Vintage Fix	Vita Classic Fix	Vita Decor Fix
LEVEL OF USE	STANDARD	UNIT										
Residential	EN ISO 10874	Class	23	23	23	23	23	23	23	23	23	23
Commercial	EN ISO 10874	Class	33	33	33	33	33	33	33	33	33	33
GENERAL PROPERTIES	STANDARD	UNIT										
Dimensions	EN ISO 24342	mm	910x300 ±0,1%	1164x300 ±0,1%	1164x194 ±0,1%	1746x194 ±0,1% 1164x194 ±0,1% 1164x300 ±0,1%	910x300 ±0,1%	600x300 ±0,2%	900x150 ±0,2%	900x150 ±0,2%	900x150 ±0,2% 600x300 ±0,2%	600x300 ±0,2%
Thickness	EN ISO 24346	mm	10,5 ±0,2	10,5 ±0,2	10,5 ±0,2	10,5 ±0,2	10,5 ±0,2	4 ±0,15	4 ±0,15	4 ±0,15	4 ±0,15	4 ±0,15
Squareness	EN ISO 24342	mm	< 0,2	< 0,2	< 0,2	< 0,2	< 0,2	< 0,4	< 0,4	< 0,4	< 0,4	< 0,4
Straightness	EN ISO 24342	mm	< 0,3	< 0,3	< 0,3	< 0,3	< 0,3	< 0,4	< 0,4	< 0,4	< 0,4	< 0,4
Apparent density	ISO 3850	Kg/m³						> 500	> 500	> 500	> 500	> 500
Mass per unit area	EN ISO 23997	g/m²	7900 ±10%	7900 ±10%	7900 ±10%	7900 ±10%	7900 ±10%	2300 ±10%	2300 ±10%	3300 ±10%	2600 ±10%	2600 ±10%
Flatness of the panel												
Length concave/convex	EN ISO 20326	%	< 0,5 / 1,0	< 0,5 / 1,0	< 0,5 / 1,0	< 0,5 / 1,0	< 0,5 / 1,0					
Width concave/convex		%	< 0,10 / 0,15	< 0,10 / 0,15	< 0,10 / 0,15	< 0,10 / 0,15	< 0,10 / 0,15					
Opening between panels	EN ISO 20326	mm	< 0,15	< 0,15	< 0,15	< 0,15	< 0,15					
Height difference between panels	EN ISO 20326	mm	< 0,15	< 0,15	< 0,15	< 0,15	< 0,15					
Residual indentation	EN ISO 24343-1	mm	< 0,25	< 0,25	< 0,25	< 0,25	< 0,25	< 0,3	< 0,3	< 0,3	< 0,3	< 0,3
Effect of a furniture leg	EN ISO 16581	No visible damages					No visible damages					
Effect of a castor chair	EN ISO 4918	No visible damages					No visible damages					
Dimensional variation	EN ISO 20326	%	< 0,25	< 0,25	< 0,25	< 0,25	< 0,25					
Dimensional stability	EN ISO 23999	%						< 0,03	< 0,03	< 0,03	< 0,03	< 0,03
Moisture Content	EN 12105	%						≤ 6	≤ 6	≤ 6	≤ 6	≤ 6
Curling	EN ISO 23999	mm						< 4	< 4	< 4	< 4	< 4
Wear resistance	EN 14354	Rev.	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000	> 5000
Thickness Swelling	ISO 24336	%	< 15	< 15	< 15	< 15	< 15					
Locking strength Long / Short	ISO 24334	kN/m	> 3 / > 4	> 3 / > 4	> 3 / > 4	> 3 / > 4	> 3 / > 4					
SAFETY PROPERTIES	STANDARD	UNIT										
Reaction to fire	EN 13501-1	Class	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1	C _s -s1
Formaldehyde emission	EN 717-2	Class	E1	E1	E1	E1	E1					
Slip resistance	EN 14041	Class	DS	DS	DS	DS	DS	DS	DS	DS	DS	DS
Sliding coefficient	EN 13893	CoF	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)	> 0,34 (R11)
ADDITIONAL PROPERTIES	STANDARD	UNIT										
Thermal resistance	EN 12667	m²·K/W	0,10	0,10	0,10	0,10	0,10	0,05	0,05	0,07	0,05	0,05
Thermal conductivity	EN 12667	W/m·K	0,11	0,11	0,11	0,11	0,11	0,09	0,09	0,09	0,09	0,09
Impact noise reduction	EN ISO 10140-3	dB	19	19	19	19	19	14	14	14	14	14
Light fastness	EN ISO 105-B02	Blue scale	5	5	5	6	6	5	5	5	6	6
Scratch resistance	EN 438-2	Scale	Rating 2					Rating 2				
Impact resistance (small ball)	EN 438-2	N	> 40	> 40	> 40	> 40	> 40	> 40	> 40	> 40	> 40	> 40
OTHER FEATURES												
Installation system	Click System					Glue-down						
Finish			WEARTOP® WEARPLUS®	WEARPLUS®	WEARPLUS®	WEARPLUS®	WEARTOP®	WEARTOP® WEARPLUS®	WEARPLUS®	WEARPLUS®	WEARPLUS®	WEARTOP®
FSC® certification	Available on request					Available on request						
VOC Emission Certifications	Greenguard Gold; AgBB; A+					Greenguard Gold; AgBB; A+						
Antimicrobial protection	CleanCork Powered by Microban®											
Warranty	Years	15 Y Residential 5 Y Commercial					15 Y Residential 5 Y Commercial					
m² per carton (pieces)	m² (un)	1,91 m² (7)	2,1 m² (6)	1,58 m² (7)	2,03 m² (6) 1,58 m² (7) 2,1 m² (6)	1,91 m² (7)	7,92 m² (44)	5,94 m² (44)	3,78 m² (28)	5,94 m² (44) 7,92 m² (44)	7,92 m² (44)	
m² per pallet (cartons)	m² (un)	107 m² (56)	100,8 m² (48)	88,5 m² (56)	103,8 m² (56) 88,5 m² (56) 100,8 m² (48)	107 m² (56)	427,7 m² (54)	332,6 m² (56)	211,7 m² (56)	332,6 m² (56) 427,7 m² (54)	427,7 m² (54)	
Weight of carton	Kg	15	17	13	16 / 13 / 17	15	16	15	14	16 / 17	17	



High performance and low VOCs surface finish with high wear, impact and chemical resistance.



HotCoating® PUR and waterbased finish with very high wear, impact and chemical resistance with a natural look-and-feel.



Moisture resistant and low swelling High-Density Fibreboard (HDF), E1, CARB ATCM Phase II and TSCA Title VI compliant.



Formaldehyde-free, PVC-free and phthalates-free cork agglomeration technology.



Edge impregnation system for improved moisture resistance and superior joint protection.



4 sides bevelling edges for aesthetic enhancement.



Digital print proprietary technology using with variable dot printing and exclusive printing techniques.



Production technology that finely emboss wood structure on a cork surface.



Integrated antibacterial protection in the cork underlay, thanks to exclusive Microban® technology.



VOC certification assuring that strict indoor air emissions limits are met.



FSC® C044061 Certified chain-of-custody system, meeting the requirements of Forest Stewardship Council® standards.



International symbol identifying products made with genuine cork.

Although every effort has been made to ensure accuracy during the production of this catalogue, GRANORTE disclaims potential product changes and possible print errors. The product photos may not accurately match the real colour and texture of the finished product.

WE PROVIDE AN AUTHENTIC
INSIGHT INTO THE WORLD OF
CORK AND DESIGN.

THE HERITAGE THAT DEFINED
US NOW GUIDES US FORWARD.

natrul